TAR RIVER IMPLEMENTS



SEEDERS & DRILLS

ATV MINIMUM TILL DRILL

The new TRD-PT53 ATV Minimum-Till Drill, combines professional seeding performance with ATV convenience. Featuring seven double-disc openers on 7.5-inch spacing, it provides accurate seed placement with minimal soil disturbance. Weighing only 750 pounds, it is easily pulled by most ATVs while handling a wide range of seeding applications.

The split stainless-steel hopper includes front seed/fertilizer cups and rear adjustable variable-rate seed cups, allowing accurate planting of seeds ranging from soybeans to radish. A standard electric actuator makes attachment, transport, and operation quick and convenient. Hitch includes a 2" Ball receiver.


Whether planting food plots, cover crops, or pasture grasses, the TRD-PT53 delivers dependable performance in a compact, versatile package.




ASSEMBLED IN THE USA

2" Ball Hitch & Clevis Hitch included.









SPECIFICATIONS:

Model	Working Width	Working Depth	Front/Rear Cups	Spacing	Double Disc Openers	Hopper Capacity	CC's Required	Weight
TRD-PT53	53"	3/4"-2"	7	7.5"	7 Sets	2.65 cu.ft. each	400min (20HP)	750 lbs.

DRL CROP SEEDER

The DRL-048 comes with 7, and the DRL-072 comes with 10 adjustable disc heads to quickly seed grass, corn, beans, oats and more. The seeder is equipped with two stainless steel boxes with closeable slides for each row, so you can apply fertilizer to each row while planting. The DRL is designed to be used as a secondary tillage tool. Ground conditions need to be disced or tilled prior to use.



ASSEMBLED IN THE USA

Quick Hitch Compatible

- ◊ 7" Spacing
- ◊ Spring-Loaded Double Disc Opener
- ◊ Disc Scrapers
- ◊ Divided Stainless Steel Hopper
- ◊ Standard Seed/Fertilizer seed cups on front and rear
- ◊ Full width Cage Roller

- ◊ Compaction scrapers
- ◊ Rear Roller
- ◊ DRL-048 Hopper Capacity: Front Hopper-3.50 Cu. Ft. Rear Hopper-2.50 Cu. Ft.
- ◊ DRL-072 Hopper Capacity: Front Hopper-5.00 Cu. Ft. Rear Hopper-4.00 Cu. Ft.







SPECIFICATIONS:

Model	Working Width	Working Depth	Min. HP Req.	Front/ Rear Cups	Spacing	Double Disc Openers	Cat. Hitch	Weight
DRL-048	48"	3/4"-2"	15	7	7"	7 Sets	1	585 lbs.
DRL-072	68"	3/4"-2"	20	10	7"	10 Sets	1	741 lbs.

SAYA ROLLER SERIES NO-TILL DRILLS

The SAYA-505 (55”) & SAYA-507 (75”) are cost effective Light Duty No-Till Drills. The 505 has 7 and the 507 has 10 swept back spring loaded double disc openers making seeding easy and economical. The Large seed and Legume cups allow for precise seeding in a no- till operation. *Stainless steel hoppers* prevent rust and keep your drill in fine working shape for years to come.

The SAYA-907 has a 75” working width and comes with a 3 compartment seedbox which contain 3 different seedcups for seeding of any type of seed. The front section comes with a dual section seedcup that splits between large seeds (corn and soybean sizes) to grass seeds such as wheat and rye. The middle section has a flow adjustable gearbox with special gear seedcups designed for the fluffy warm season Native grasses. The SAYA-907 rear section utilizes precision legume seed cups for more precise seeding than the 505/507.



ASSEMBLED IN THE USA

Quick Hitch Compatible

- ◊ Spring-Loaded Coulter discs
- ◊ Spring-Loaded Double Disc Opener with Cast Iron Hubs
- ◊ Cast Iron Swept-back Disc carriers
- ◊ Disc Scrapers
- ◊ Divided Stainless Steel Hopper
- ◊ Standard Seed/Fertilizer seed cups on front & rear of the 505 & 507
- ◊ Course Seed, Native Grass Seed & Precision Legume Seed boxes on 907

- ◊ SAYA-505/507 – Front Hopper Capacity: 4.00/5.5 Cu. Ft.
- ◊ SAYA-505/507 – Rear Hopper Capacity: 3.00/5.5 Cu. Ft.
- ◊ SAYA-907 – Front Hopper(Grain/Corn Seed Cups) Capacity 4.5 Cu. Ft.
- ◊ SAYA-907 – Middle Hopper(Native Grass Seed Cups) Capacity: 4.5 Cu. Ft.
- ◊ SAYA-907 – Rear Hopper(Precision Legume Seed Cups) Capacity: 3.8 Cu. Ft.

SPECIFICATIONS:

Model	*Working Width	Working Depth	Min. HP Req.	Front/ Rear Cups	**Spacing	Double Disc Openers	Cat. Hitch	Weight (lbs.)
SAYA-505	55”	3/4”-2”	30	7	7.5”	7 Sets	1 & 2	1,036 lbs.
SAYA507	75”	3/4”-2”	35	10	7.5”	10 Sets	1 & 2	1,400 lbs.
SAYA-907	75”	3/4”-2”	35	10	7.5”	10 Sets	1 & 2	1,499 lbs.

*** Models can seed up to working widths by increasing spacing from 7.5” to 7.8”**

****7.5” spacing allows for a 52.5” and 75” working width on 55” and 78” models (respectively)**

SAYA PRESS WHEEL SERIES NO-TILL DRILL

Introducing the SAYA No Till seeder with Press wheel configuration. All the same great features as the SAYA models with cage roller basket, but now available with press wheels. The heavy spring loaded press wheel precisely follows the ground splitting coulters and double disc assemblies to ensure excellent seed to ground contact for superb germination. The SAYA-505PW and SAYA-507PW come with 7 or 10 rows of coulters and double disc openers. Both units have 2 stainless steel seed boxes.

The SAYA-907PW has all the same features of the SAYA-907 but with press wheels to provide enhanced seed coverage.

ASSEMBLED IN THE USA

Quick Hitch Compatible



- ◊ Spring-Loaded Coulter discs
- ◊ Spring-Loaded Double Disc Opener with Cast Iron Hubs
- ◊ Cast Iron Swept-back Disc carriers
- ◊ Disc Scrapers
- ◊ Divided Stainless Steel Hopper
- ◊ Standard Seed/Fertilizer seed cups on front & rear of the 505 & 507
- ◊ Course Seed, Native Grass Seed & Precision Legume Seed boxes on 907

- ◊ SAYA-505/507 – Front Hopper Capacity: 4.00/5.5 Cu. Ft.
- ◊ SAYA-505/507 – Rear Hopper Capacity: 3.00/5.5 Cu. Ft.
- ◊ SAYA-907 – Front Hopper(Grain/Corn Seed Cups) Capacity 4.5 Cu. Ft.
- ◊ SAYA-907 – Middle Hopper(Native Grass Seed Cups) Capacity: 4.5 Cu. Ft.
- ◊ SAYA-907 – Rear Hopper(Precision Legume Seed Cups) Capacity: 3.8 Cu. Ft.

SPECIFICATIONS:

Model	*Working Width	Working Depth	Min. HP Req.	Front/ Rear Cups	**Spacing	Double Disc Openers	Cat. Hitch	Weight (lbs.)
SAYA-505PW	55”	3/4”-2”	30	7	7.5”	7 Sets	1 & 2	1,142 lbs.
SAYA507PW	75”	3/4”-2”	35	10	7.5”	10 Sets	1 & 2	1,532 lbs.
SAYA-907PW	75”	3/4”-2”	35	10	7.5”	10 Sets	1 & 2	1,631 lbs.

*** Models can seed up to working widths by increasing spacing from 7.5” to 7.8”**

****7.5” spacing allows for a 52.5” and 75” working width on 55” and 78” models (respectively)**

SAYA PULL TYPE SERIES NO-TILL DRILL

The SAYA Pull-Type No-Till Drills are ideal for food plots, cover crops, pastures, and conservation seedings when using an RTV, UTV, or smaller tractor. Designed for easy operation and dependable performance, they provide accurate seed placement and excellent germination.

The PT505 features an electric actuator for quick transition between working and transport positions, while the PT507 and PT907 models come equipped with a hydraulic synchronized cylinder lift system. The SAYA Pull Type utilizes double-disc openers and ground-cutting coulters for improved penetration in tougher field conditions.

Heavy-duty spring-loaded press wheels ensure excellent seed-to-soil contact for fast, uniform germination. Built for durability and precision, the SAYA Pull-Type Drill lineup delivers professional seeding results in a compact, easy-to-pull package. One hydraulic remote required.



ASSEMBLED IN THE USA

2" Ball Hitch & Clevis Hitch included.

- ◊ Spring-Loaded Coulter discs
- ◊ Spring-Loaded Double Disc Opener with Cast Iron Hubs
- ◊ Cast Iron Swept-back Disc carriers
- ◊ Disc Scrapers
- ◊ Divided Stainless Steel Hopper
- ◊ Standard Seed/Fertilizer seed cups on front & rear of the 505 & 507
- ◊ Course Seed, Native Grass Seed & Precision Legume Seed boxes on 907

- ◊ SAYA-505/507 – Front Hopper Capacity: 4.00/5.5 Cu. Ft.
- ◊ SAYA-505/507 – Rear Hopper Capacity: 3.00/5.5 Cu. Ft.
- ◊ SAYA-907 – Front Hopper(Grain/Corn Seed Cups) Capacity 4.5 Cu. Ft.
- ◊ SAYA-907 – Middle Hopper(Native Grass Seed Cups) Capacity: 4.5 Cu. Ft.
- ◊ SAYA-907 – Rear Hopper(Precision Legume Seed Cups) Capacity: 3.8 Cu. Ft.

SPECIFICATIONS:

Model	*Working Width	Working Depth	Min. HP Req.	Front/Rear Cups	**Spacing	Double Disc Openers	Weight (lbs.)
SAYA-PT505	55"	3/4"-2"	18	7	7.5"	7 Sets	1,532 lbs.
SAYA-PT507	75"	3/4"-2"	40	10	7.5"	10 Sets	2,006 lbs.
SAYA-PT907	75"	3/4"-2"	45	10	7.5"	10 Sets	2,116 lbs.

*** Models can seed up to working widths by increasing spacing from 7.5" to 7.8"**

****7.5" spacing allows for a 52.5" and 75" working width on 55" and 78" models (respectively)**

DHDS DISC HARROW SEEDER

The DHDS-63 is a durable disc harrow with seeder. It is equipped with 10 disc heads in the front and back, which efficiently cuts and pulverizes the soil, creating an ideal seedbed for optimal germination. With its adjustable disc heads and precise seed metering system, the DHDS-63 provides accurate and uniform seed distribution. The front box distributes the seed into the disced soil. This allows for a deeper planting depth. The rear seed box has the legume seed cups and the seeds are distributed behind the disced area and rolled in the ground by the rear roller.



ASSEMBLED IN THE USA

Quick Hitch Compatible



Transport Position
Unit Folds into Transport Position for easy and hassle free moving.

SPECIFICATIONS:

Model	Working Width	Working Depth	Min. HP Req.	Front/Rear Cups	Cat. Hitch	Weight (lbs.)
DHDS	63”	3”-4”	25	7	1	803 lbs.

TAR RIVER IMPLEMENTS



Web: TarRiverMFG.com
Email: Sales@TarRiverMFG.com
Info@TarRiverMFG.com

DISTRIBUTED BY:

BELC RESOURCES EQUIPMENT

401 Jeffreys Road
Rocky Mount, NC 27804
Tel: (252)0822-7140
Web: www.BR-Equipment.com